

World Reefer

The 18th Issue



VAN OCEAN SHIPPING CO.,LTD.
NEW ZEALAND

Mr. Joe Zhou

President

VAN OCEAN SHIPPING CO.,LTD.NEW ZEALAND

We have gone through a busy year during 2014. Owing to the excellent harvest in Falkland Fishing Ground in the first half year of 2014, shipping market of reefer was proved in an obviously serious shortage of transport capacity. According to an incomplete statistics, the cargo amount of squid fished and transshipped in Falkland Fishing Ground only reached around 350,000~500,000 MT, which reveals a direct 80% raise on transport capacity of reefer.

By reviewing, it reads that the demolition market for ship kept in soft for whole year of 2014. Price of scrap steel in India fluctuated between \$430 and \$450. Such price in China also has been in continuous depression and now it stays a range from \$220 to \$240. In 2014, about 10 reefers were scrapped.

Facing a stronger and stronger competitiveness from capacity, economic benefit and cost of reefer container, traditional reefer vessel is inevitably losing her market share. A projection indicates that reefer container transport capacity will meet 95% frozen cargo transport demand and over 74% frozen cargo will finally be transported by reefer container. Definitely, all above mentioned factors is bringing a great impact on traditional reefer vessel market. However, reefer vessel will be remained to serve as a kind of specialized vessel for some special business continuously. Though reefer shipping industry has been contracting, professional reefer shipping service is always indispensable in many industries. In account of professional skill on high sea transshipping, reefer vessel is able to keep her profitability in the future.

China's reefer market had an out-standing performance. The excellent harvest in Falkland Fishing Ground in 2014 boosted the purchase enthusiasm and demand of Chinese buyers and more and more reefer carriers are sold to them. According to the market forecast, Although Chinese buyers purchased 6 reefers for the purpose of transshipping in Peru and Falkland Fishing Ground this year, more potential buyers will put their focus on reefer vessel purchase in 2015.

Looking ahead to the coming year of 2015, Van Ocean Shipping Co., Ltd. hereby is to appreciate to our great faithful customers for your kind assistance and support. We sincerely wish our thorough and intimate service will keep satisfying our existing and future customers.



REF173



Name REF173		Vessel Data
TYPE	REEFER	
FLAG	NETHERLANDS	
BUILT YEAR	1990-12	
BUILT PLACE	JULIANA GIJONESA GIJON, SPAIN	
CLASS	GL,ICE STR	
SS	2015-07	
DD	2015-07	
LOA	105.35M	
BEAM	16.00M	
DEPTH	9.80M	
DRAFT	6.90M(SUMMER)	
GT	4190MT	
NT	2008MT	
DWT	4600MT(SUMMER)	
GEAR	CRANES 3*5MT	
ME	B&W 6L35MC 4560HP 200RPM	
SPEED/CONSUMPTION	14.50 KNOTS ON 13MT(380)+1MT	
HOLD NUMBER	4	
HATCH NUMBER	4	
COMPARTMENT	11	
DECKS	3	
CAPACITY (CBFT)	199618	
CAPACITY (CBM)	5589	
TANK CAPACITY	IFO380:524CBM; MDO:121CBM	
FLOOR SPACE CAPACITY	2213.22SQM	
GRATING	MAXIMUM ALLOWABLE WEIGHT OF FORKLIFT IS 5MT (FORLIFT TO BE EQUIPED WITH MINIMUM 4 AIRTYRES)	
TEMPERATURE ZONES	8	
TEMPERATURE	-25/+12°C	
VENT	80/HR	
AIR CHANGE	3/HR	
DELIVERY PLACE	EUROPE/SOUTH AMERICA	
PRICE	USD 3.50 MILLION	

REF425



Name REF425		Vessel Data
TYPE	REEFER	
FLAG	PANAMA	
BUILT YEAR	1991-03	
BUILT PLACE	SHANGHAI SHIPYARD, CHINA	
CLASS	GL,LOW ICE STR	
SS	2016-06	
LOA	102.50M	
BEAM	18.55M	
DEPTH	10.15M	
DRAFT	7.92M	
GT	6429MT	
NT	3588MT	
DWT	6818MT	
GEAR	DERRICKS 8×5-10MT, 4×5MT UP 17.50M OUTREACH	
ME	SULZER 5RTA52 9060BHP 126RPM	
AE/GENERATOR	3×MAIN GENERATORS 750KVA EACH;1×EMERGENCY 115KVA	
SPEED/CONSUMPTION	FISH LADEN ABT. 16 KNOTS ON ABT. 29.40MT IFO380 INCL AUX	
HOLD NUMBER	4	
HATCH NUMBER	4	
HATCH SIZE	12.38×8.00M	
COMPARTMENT	15	
DECKS	4	
CAPACITY (CBFT)	300124	
CAPACITY (CBM)	8498	
TANK CAPACITY	FO:831.50CBM; GO:213.40CBM; FRESH WATER:89.06CBM	
FLOOR SPACE CAPACITY	3441SQM	
VENT	FROZEN PRODUCTS:45/HR,FRUITS/BANANAS:90/HR	
TEMPERATURE ZONES	8	
TEMPERATURE	-25/+13℃	
DELIVERY PLACE	EUROPE	
PRICE	USD 4.20 MILLION	

REF429



Name REF429		Vessel Data
TYPE	REEFER	
FLAG	LIBERIA	
BUILT YEAR	1990-02	
BUILT PLACE	KURUSHIMA SHIN ONISHI, JAPAN	
CLASS	NK	
SS	2014-11	
DD	2014-11, EXTENDED 2015-02-20	
LOA	141.00M	
BEAM	20.60M	
DEPTH	13.00M	
DRAFT	8.50M	
GT	8739MT	
NT	4085MT	
DWT	9692MT	
GEAR	DERRICKS 8x5MT OR 4x3.50MT UP	
ME	MITSUBISHI 6UEC52LS 10801BHP 120RPM	
SPEED/CONSUMPTION	BANANA LADEN: 18.50 KNOTS ON 24.50MT (380)+2-4.50MT (380)	
HOLD NUMBER	4	
HATCH NUMBER	4	
COMPARTMENT	19	
DECKS	4	
DECK HEIGHT	22.20M	
CAPACITY (CBFT)	449175	
CAPACITY (CBM)	12725	
FLOOR SPACE CAPACITY	5208SQM	
TYPE OF THE VENT SYSTEM	VERTICAL	
TEMPERATURE ZONES	8	
TEMPERATURE	-25/+15°C	
VENT	90/HR	
PALLET	3950	
DELIVERY PLACE	PERU	
PRICE	USD 5.00 MILLION	

REF432



Name REF432		Vessel Data
TYPE	REEFER	
FLAG	LIBERIA	
PROT OF REGISTRY	MONROVIA	
BUILT YEAR	1990-01	
BUILT PLACE	KANASASHI TOYOHASHI, JAPAN	
CLASS	LR	
LOA	148.50M	
BEAM	20.63M	
DEPTH	12.80M	
DRAFT	9.41M(SUMMER)	
GT	9070MT	
NT	5838MT	
DWT	11633MT(SUMMER)	
GEAR	DERRICKS 8×7MT OR 4×5MT UP	
ME	MITSUBISHI 6UEC52LA 7360BHP 123RPM	
SPEED/CONSUMPTION	BANANA:18.50 KNOTS ON 23MT (380)+5MT(380) ECONOMICAL: 17 KNOTS ON 18MT	
HOLD NUMBER	4	
HATCH NUMBER	4	
HATCH SIZE	12.60×8.20M	
COMPARTMENT	19	
DECKS	4	
CAPACITY (CBFT)	502586	
CAPACITY (CBM)	14231.60	
FLOOR SPACE CAPACITY	5857SQM	
GRATING	MAX ALLOWABLE WEIGHT OF FORKLIFT INCLUDING CARGO IS 6MT (FORKLIFT TO BE EQUIPED WITH MIN 4 AIRTYRES)	
TEMPERATURE ZONES	8	
TEMPERATURE	-25/+15℃	
VENT	90/45(HR)	
AIR CHANGE	4/HR	
DELIVERY PLACE	EUROPE	
PRICE	BUYERS OFFER	

REF651



Name REF651		Vessel Data
TYPE	REEFER	
FLAG	ST. VINCENT AND THE GRENADINES	
PORT OF REGISTRY	KINGSTOWN	
BUILT YEAR	1985	
BUILT PLACE	DRAMMEN SLIP, NORWAY	
CLASS	RMRS	
LOA	149.41M	
BEAM	21.54M	
DEPTH	12.70M	
DRAFT	9.42M	
GT	9096MT	
NT	8006MT	
DWT	11464MT	
GEAR	CRANES 4x8MT	
ME	SULZER 4RTA58 7680BHP	
SPEED/CONSUMPTION	17 KNOTS ON 28MT (180) + 6MT (180) 15 KNOTS ON 18MT	
HOLD NUMBER	4	
HATCH NUMBER	4	
COMPARTMENT	15	
DECKS	4	
DECK HEIGHT	2.20M	
CAPACITY (CBFT)	538426	
CAPACITY (CBM)	15252	
FLOOR SPACE CAPACITY	5994SQM	
GRATING	SUITABLE FOR FORKLIFTS WITH MAX UP WEIGHT 3.50 MT	
TEMPERATURE ZONES	7	
TEMPERATURE	-25/+14°C	
VENT	90/HR	
PALLET	4550	
DELIVERY PLACE	CALLAO, PERU	
PRICE	USD 3.80 MILLION	

REF676



Name REF676		Vessel Data
TYPE	REEFER	
BUILT YEAR	1991-07	
BUILT PLACE	VAN DIEPEN, NETHERLAND	
CLASS	DNV	
SS	2016-03	
DD	2016-03	
LOA	109.85M	
BEAM	16.33M	
DEPTH	9.40M	
DRAFT	7.32M(TROPICAL)	
GT	3999MT	
NT	2744MT	
DWT	5165MT(TROPICAL)	
GEAR	CRANES 4x5MT	
ME	DEUTZ SBV 12M640 6998BHP 650RPM	
SPEED/CONSUMPTION	16 KNOTS ON 19MT(380) SHAFTGENERATOR PORT 2.20MT MGO	
HOLD NUMBER	4	
HATCH NUMBER	4	
COMPARTMENT	12	
DECKS	3	
DECK HEIGHT	≥2.20M	
CAPACITY (CBFT)	273713	
CAPACITY (CBM)	7754	
FLOOR SPACE CAPACITY	3209SQM	
TEMPERATURE ZONES	6	
TEMPERATURE	-25/+12°C	
DOORS	SIDEDOORS 4 P+S	
DELIVERY PLACE	EUROPE	
PRICE	USD 3.80 MILLION	



REF683



Name REF683		Vessel Data
TYPE	REEFER	
FLAG	LIBERIA	
PORT OF REGISTRY	MONROVIA	
BUILT YEAR	1992-10	
BUILT PLACE	POLAND	
CLASS	DNV	
LOA	150.30M	
BEAM	22.60M	
DEPTH	13.30M	
DRAFT	9.10M	
GT	10629MT	
NT	4253MT	
DWT	10581.90MT	
GEAR	HYDRAULIC CRANES 2×8MT AND 2×32MT	
ME	SULZER 2 S.A. 6-CYL.15345HP	
SPEED/CONSUMPTION	20 KNOTS, ABOUT 43MT IFO380 CST +9MT IFO380 CST (+3.50MT MDO/MONTH)	
HOLD NUMBER	4	
HATCH NUMBER	4	
HATCH SIZE	12.40×8.50M	
COMPARTMENT	16	
DECKS	4	
CAPACITY (CBFT)	528891	
CAPACITY (CBM)	14976.50	
FLOOR SPACE CAPACITY	5806.90SQM	
GRATING	PNEUMATIC-TYRED FORKLIFTS WITH ALL-UP WEIGHT OF 6.50MT	
TEMPERATURE ZONES	8	
INDEPENDENT ZONES	1AB/CD,2AB/CD,3AB/CD,4AB/CD	
TEMPERATURE	-25/+14°C	
VENT	90/HR	
AIR CHANGE	2/HR	
DELIVERY PLACE	CALLO,PERU	
PRICE	USD 4.95 MILLION	

REF684



Name REF684		Vessel Data
TYPE	REEFER	
FLAG	LIBERIA	
PORT OF REGISTRY	MONROVIA	
BUILT YEAR	1993-06	
BUILT PLACE	POLAND	
CLASS	LR	
LOA	150.30M	
BEAM	22.60M	
DEPTH	13.30M	
DRAFT	9.10M	
GT	10629MT	
NT	4253MT	
DWT	10587MT(SUMMER)	
GEAR	HYDRAULIC CRANES 2×8MT,2×32MT	
ME	SULZER 2 S.A. 6-CYL. 15498HP	
SPEED/CONSUMPTION	MAX 21 KONTs BANANA LADEN: 19 KONTs ON 32.50MT IFO380 CST +7MT IFO380 CST (+3.50MT MDO/MONTH)	
HOLD NUMBER	4	
HATCH NUMBER	4	
HATCH SIZE	12.40×8.50M	
COMPARTMENT	16	
DECKS	4	
CAPACITY (CBFT)	536502	
CAPACITY (CBM)	15198	
FLOOR SPACE CAPACITY	5892.90SQM	
GRATING	PNEUMATIC-TYRED FORKLIFTS WITH ALL-UP WEIGHT OF 6.50MT	
TEMPERATURE ZONES	8	
INDEPENDENT ZONES	1AB/CD,2AB/CD,3AB/CD,4AB/CD	
TEMPERATURE	-25/+14°C	
VENT	90/HR	
AIR CHANGE	2/HR	
DELIVERY PLACE	CALLO,PERU	
PRICE	USD 4.95 MILLION	

REF690



Name REF690		Vessel Data
TYPE	REEFER	
FLAG	BAHAMAS	
PORT OF REGISTRY	NASSAU	
BUILT YEAR	1993	
BUILT PLACE	YARD GDANSK, POLAND	
CLASS	DNV	
LOA	150.30M	
BEAM	22.60M	
DEPTH	13.30M	
DRAFT	9.10M	
GT	10614MT	
NT	5017MT	
DWT	10633MT(SUMMER)	
GEAR	CRANES 2×32MT	
ME	SULZER 2 S.A. 6-CYL. 15489BHP	
SPEED/CONSUMPTION	MAX 21 KNOTS BANANA LADEN:19 KNOTS,ABOUT 33MT IFO380 CST +7MT IFO380 CST(+3.50MT MDO/MONTH)	
HOLD NUMBER	4	
HATCH NUMBER	4	
HATCH SIZE	12.40×8.50M; 12.45×8.50M	
COMPARTMENT	15	
DECKS	4	
CAPACITY (CBFT)	514111	
CAPACITY (CBM)	14558	
FLOOR SPACE CAPACITY	5778SQM	
GRATING	PNEUMATIC-TYRED FORKLIFTS WITH ALL-UP WEIGHT OF 6.50MT	
TEMPERATURE ZONES	8	
TEMPERATURE	-25/+12°C AT AMBIENT TEMPERATURE +40°C (SUMMER) -10°C (WINTER)	
VENT	90/HR	
AIR CHANGE	2/HR	
DELIVERY PLACE	CALLO,PERU	
PRICE	USD 4.95 MILLION	

REF696



Name REF696		Vessel Data
TYPE	REEFER	
FLAG	BAHAMAS	
PORT OF REGISTRY	NASSAU	
BUILT YEAR	1993	
BUILT PLACE	YARD STOCZNIA GDANSK, POLAND	
CLASS	DNV	
LOA	150.30M	
BEAM	22.60M	
DEPTH	13.30M	
DRAFT	9.10M	
GT	10614MT	
NT	5017MT	
DWT	10633MT(SUMMER)	
GEAR	ELECTRIC-HYDRAULIC CRANES 2×8MT AND 2×32MT	
ME	SULZER 2S.A. 6-CYL. 15490BHP TURBO CHARGER (ABB):VTR 454-32	
COOLING SYSTEM	SABROE COMPRESSOR: SAB 128 HF MK 2	
SPEED/CONSUMPTION	MAX 21 KONTS BANANA LADEN:19 KNOTS ON ABOUT 33MT IFO380 CST +AUX 7MT IFO380 CST (+3.50MT MDO /MONTH)	
HOLD NUMBER	4	
HATCH NUMBER	4	
HATCH SIZE	12.40×8.50M	
COMPARTMENT	15	
CAPACITY (CBFT)	516530	
CAPACITY (CBM)	14626.50	
FLOOR SPACE CAPACITY	5793SQM	
GRATING	PNEUMATIC-TYRED FORKLIFTS WITH ALL-UP WEIGHT OF 6.50MT	
TEMPERATURE ZONES	8	
TEMPERATURE	-25/+12°C AT AMBIENT TEMPERATURE +40°C (SUMMER) -10°C (WINTER)	
VENT	90/HR	
AIR CHANGE	2/HR	
DELIVERY PLACE	CALLO,PERU	
PRICE	USD 4.95 MILLION	

REF718



Name REF718		Vessel Data
TYPE	REEFER	
FLAG	BAHAMAS	
BUILT YEAR	1992	
BUILT PLACE	KVAERNER KLEVEN, NORWAY	
CLASS	BV	
LOA	140.50M	
BEAM	19.70M	
DEPTH	13.00M	
DRAFT	9.62M	
GT	7944MT	
NT	4632MT	
DWT	11054MT(SUMMER)	
LDT	4935.70MT	
GEAR	CRANES 2x8MT, 2x36MT	
ME	MAN 2 S.A. 9-CYL. 16212HP	
SPEED/CONSUMPTION	BALLAST:18 KONTs ON ABOUT 31MT IFO380 CST ECONOMICAL:ABOUT 16.50 KONTs ON ABOUT 27MT IFO380 CST	
HOLD NUMBER	4	
HATCH NUMBER	4	
HATCH SIZE	12.80x5.40M; 12.60x10.60M	
COMPARTMENT	15	
CAPACITY (CBFT)	424307	
CAPACITY (CBM)	12020	
FLOOR SPACE CAPACITY	4776SQM	
GRATING	ALUMINIUM, 7MT CARGO AND FORKLIFT WITH PNEUMATIC TIRES	
TEMPERATURE ZONES	8	
INDEPENDENT ZONES	1A/BC,2A/BCD,3A/BCD,4A/BCD	
TEMPERATURE	-29/+15°C	
VENT	90/HR	
AIR CHANGE	4/HR	
DELIVERY PLACE	PERU	
PRICE	USD 4.35 MILLION	

REF720



Name REF720		Vessel Data
TYPE	REEFER	
FLAG	LIBERIA	
BUILT YEAR	1990	
BUILT PLACE	SHIN KURUSHIMA, JAPAN	
CLASS	NK	
LOA	144.03M	
BEAM	21.61M	
DEPTH	12.85M	
DRAFT	8.12M (SUMMER)	
GT	8818MT	
NT	3810MT	
DWT	9683MT(SUMMER)	
GEAR	CRANES 2×30MT, 2×5MT	
ME	MITSUBISHI 2S.A. 6-CYL. 9183HP	
SPEED/CONSUMPTION	FRUIT LADEN: MAX 19 KONT'S ON ABOUT 27.20MT IFO380 CST + 4.50MT IFO380 CST ECONOMICAL 17 KONT'S ON ABOUT 23.30MT IFO380 CST + 4.50MT IFO380 CST	
HOLD NUMBER	4	
HATCH NUMBER	4	
HATCH SIZE	7.35×6.00M; 8.10×8.00M	
COMPARTMENT	15	
DECK HEIGHT	≥2.20M	
CAPACITY (CBFT)	454268	
CAPACITY (CBM)	12869	
FLOOR SPACE CAPACITY	5175SQM	
GRATING	WOOD, 5MT CARGO AND FORKLIFT WITH PNEUMATIC TIRES	
TEMPERATURE ZONES	8	
TEMPERATURE	-25/+15°C	
VENT	90/HR	
AIR CHANGE	4/HR	
DELIVERY PLACE	FAR EAST	
PRICE	USD 4.90 MILLION	

REF721



Name REF721		Vessel Data
TYPE	REEFER	
FLAG	CYPRUS	
PORT OF REGISTRY	VLADIVOSTOK	
BUILT YEAR	1987	
BUILT PLACE	MATHIAS THESEN, GERMANY	
CLASS	RMRS	
LOA	152.20M	
BEAM	22.20M	
DEPTH	13.60M	
DRAFT	8.00M	
GT	12383MT	
NT	3776MT	
DWT	8350MT	
LDT	7240MT	
GEAR	DERRICKS 2×10MT	
ME	MAN 2S.A. 5-CYL. 10332HP	
AE/GENERATOR	4×SKL MOTOR GMBH 8NVD-2-48A-3DF 1000HP 428RPM 600KW	
COOLING SYSTEM	5×KULAUTOMAT S3-900	
SPEED/CONSUMPTION	18 KONTs ON 42MT/DAY	
HOLD NUMBER	4	
HATCH NUMBER	4	
COMPARTMENT	12	
DECKS	3	
DECK HEIGHT	≥3.80M	
CAPACITY (CBFT)	469897	
CAPACITY (CBM)	13312	
TANK CAPACITY	FO:1184CBM; DO:430CBM	
FLOOR SPACE CAPACITY	3880SQM	
TEMPERATURE ZONES	8	
TEMPERATURE	-30°C	
DELIVERY PLACE	FAR EAST	
PRICE	BUYERS OFFER	